

RS 12-70E



Pipe Sander / Polisher



SERVICE

Tool service and maintenance must be performed only by qualified repair personnel.

When servicing a tool, only use identical replacement parts available from FEIN.

Repairs on FEIN Power Tools required the use of special tools (pulling devices and bearing press). Authorized repair centers have trained repair technicians and equipment necessary to perform these repairs. Service or repairs performed by unqualified persons could result in operator injury.

For the location of the repair center near you, please call 1-800-441-9878. Monday thru Friday, 9AM to 5PM EST. Or, look on our web site at www.feinus.com and follow the link to "Authorized Warranty Repair Centers"

**FEIN Power Tools
1030 Alcon Street
Pittsburgh, PA 15220**



Phone: 412-922-8886 Fax: 412-922-8767 Toll Free: 1-800-441-9878

Dec 28, 2004



Pipe Sander

Model: RS 12-70E



FEIN Power Tools

RS 12-70E

| Item | Item Number | Description | Reqd |
|-------------|--------------------|-------------------------|-------------|
| 10 | 3-24-31-021-00-7 | CABLE CLAMP | 1 |
| 20 | 4-30-70-001-00-6 | SCREW | 2 |
| 30 | 3-24-31-040-00-6 | SUPPORT | 1 |
| 40 | 3-07-62-233-99-9 | ELECTRONIC | 1 |
| 50 | 4-17-01-001-17-2 | BALL BEARING | 1 |
| 60 | 3-07-12-088-01-3 | BRUSH HOLDER | 2 |
| 70 | 3-07-11-132-00-3 | BRUSH | 2 |
| 80 | 4-30-70-018-00-9 | SCREW | 2 |
| 90 | 3-19-01-114-01-4 | MOTOR HOUSING | 1 |
| 100 | 5-32-73-001-23-3 | MOTOR ASSEMBLY | 1 |
| 110 | 3-14-28-118-00-7 | AIR CONDUCTING RING | 1 |
| 120 | 3-24-16-098-00-5 | COVER PLATE | 1 |
| 140 | 4-30-70-007-00-2 | SCREW | 4 |
| 200 | 3-12-06-110-01-5 | GEAR HOUSING | 1 |
| 210 | 4-17-05-019-00-1 | NEEDLE BEARING | 1 |
| 220 | 3-09-01-032-00-3 | SPRING | 1 |
| 230 | 3-02-17-327-00-3 | PIN | 1 |
| 240 | 4-06-12-137-00-8 | SEALING RING | 1 |
| 250 | 3-28-05-185-00-2 | BUTTON | 1 |
| 260 | 3-24-19-115-00-6 | BEARING PLATE | 1 |
| 270 | 3-34-06-284-00-9 | SHAFT | 1 |
| 280 | 4-17-01-010-05-4 | BALL BEARING | 1 |
| 290 | 3-24-16-101-00-9 | COVER PLATE | 1 |
| 305 | 3-38-09-229-01-2 | BEVEL GEAR ASSEMBLY | 1 |
| 320 | 3-26-24-117-00-9 | WASHER | 1 |
| 330 | 4-24-43-003-04-3 | LOCK WASHER | 4 |
| 340 | 4-30-41-023-04-6 | SCREW | 4 |
| 450 | 4-17-01-007-26-6 | BALL BEARING | 1 |
| 480 | 3-28-05-156-00-8 | SLIDING SWITCH | 1 |
| 490 | 5-1-273-001-23-1 | FIELD COIL | 1 |
| 500 | 4-30-70-017-00-1 | SCREW | 2 |
| 510 | 3-28-16-055-00-0 | SWITCH BAR | 1 |
| 520 | 3-28-16-052-00-4 | SWITCH ROD | 1 |
| 530 | 4-30-41-039-99-9 | SCREW | 2 |
| 540 | 3-07-01-218-00-3 | SWITCH | 1 |
| 550 | 3-12-01-101-00-8 | COVER | 1 |
| 560 | 3-14-15-082-00-4 | BOLSTER | 1 |
| 570 | 3-14-13-007-00-7 | CABLE PROTECTING SLEEVE | 1 |
| 580 | 3-07-05-035-01-3 | CABLE | 1 |
| 730 | 3-13-35-012-00-9 | OUTPUT SHAFT | 1 |
| 740 | 3-13-35-011-00-6 | DRIVE WHEEL | 1 |

| | | | | |
|-----|------------------|----------------------|---|-------|
| 750 | 3-13-35-009-00-5 | OUTER FLANGE | 1 | _____ |
| 760 | 3-13-35-010-00-7 | INTER FLANGE | 1 | _____ |
| 770 | 3-13-35-015-00-5 | SCREW | 1 | _____ |
| 780 | 4-02-21-067-00-9 | FITTING KEY | 2 | _____ |
| 800 | 3-13-35-005-00-6 | OUTPUT SHAFT | 2 | _____ |
| 810 | 3-13-35-008-00-1 | TENSION ROLLERS | 2 | _____ |
| 820 | 4-17-01-004-03-7 | BALL BEARING | 4 | _____ |
| 830 | 4-20-19-020-08-7 | NUT | 3 | _____ |
| 840 | 3-13-35-001-00-7 | TENSION ARM ASSEMBLY | 1 | _____ |
| 850 | 3-13-35-007-00-3 | HANDLE GUARD | 1 | _____ |
| 860 | 3-13-34-002-00-0 | TENSION ARM | 1 | _____ |
| 870 | 3-13-35-004-00-2 | SPACER | 1 | _____ |
| 880 | 3-13-35-003-00-4 | SPRING | 1 | _____ |
| 890 | 3-13-35-016-00-8 | HANDLE | 1 | _____ |
| 900 | 4-30-35-032-06-5 | SCREW | 2 | _____ |
| 910 | 3-13-35-013-00-3 | BOLT | 1 | _____ |
| 920 | 4-30-35-047-08-9 | SCREW | 1 | _____ |
| 930 | 4-30-41-039-99-9 | SCREW | 5 | _____ |
| 940 | 4-24-01-004-08-3 | DISC - BELT | 2 | _____ |
| 960 | 3-13-35-014-00-1 | BOLT | 1 | _____ |
| 970 | 4-24-02-015-00-2 | DISC | 2 | _____ |
| 980 | 3-13-35-018-00-0 | SCREW | 1 | _____ |
| 990 | 3-13-35-006-00-9 | SPACER | 1 | _____ |